




Exploring Woodland in Cheung Chau (2A)

Name : _____ Group no. : _____

Course Date : _____

Relevance to the DSE geography curriculum :

Disappearing Green Canopy – Who should pay for the massive deforestation in rainforest regions?

- Knowledge:
- To understand the characteristics of abiotic and biotic components of a woodland ecosystem
 - To understand the structure of woodland and the characteristics of woody plants in woodland
- Skills:
- To collect data of vegetation and soil
 - To compare and analyze primary data
- Attitude:
- To cherish the interdependence of human and natural environment
 - To nurture students' concern of the tropical rainforest and awareness of the importance of protection of tropical rainforest on safeguarding national ecological security

Prior knowledge

What is the nutrient cycling and water cycle of woodland?

Refer to the module of “Disappearing Green Canopy” in the textbook and study Figure 1a. Choose the letters from dotted boxes and put in circles below.




Figure 1a Nutrient cycle in a woodland

A. Biomass	B. Soil	C. Litter	D. Soil drainage
E. Rainfall	F. Decomposition	G. Soil texture	H. Parent rock

Refer to the module of “Disappearing Green Canopy” in the textbook and study Figure 1b. Choose the letters from dotted boxes and put in circles below.




Figure 1b Water cycle in a woodland

- | | | | |
|------------------|------------------|---------------------|-------------------|
| A. Precipitation | B. Transpiration | C. Plant absorption | D. Surface runoff |
| E. Interception | F. Stemflow | G. Evaporation | H. Infiltration |
| I. Throughfall | J. Soil storage | K. Soil texture | L. Soil structure |

Stage 1 : Planning and preparation

- **Key point of fieldwork:** Linkages of abiotic and biotic components of woodland ecosystem, the structure of woodland and the characteristics of woody plants in woodland.

To set the enquiry question

- Relationship between vegetation and soil in a woodland ecosystem.

Hypothesis:

- The higher the canopy density, the lower / higher the soil fertility.
- The higher the canopy density, the lower / higher the soil moisture.
- The higher the light intensity, the lower / higher the undergrowth cover.



- Compare the structure and the characteristics of woodland and the tropical rainforest.

When to collect data?

Date: _____	Time: _____ to _____	What factors do you consider when selecting fieldwork date? Is today an ideal day for conducting woodland field trip? Why?
Cloud cover: <u>clear sky / few clouds / scattered clouds / overcast sky</u>		
Weather warning and signals within last 3 days: ☐ Strong Monsoon Signal ☐ Rainstorm Warnings ☐ Tropical Cyclone Warning Signals ☐ Thunderstorm warning ☐ Very Hot Weather Warning ☐ Other: _____		
Precipitation within last 3 days: <u>heavy rain / drizzle / never rain</u>		

Where to collect data?

Field site of today: _____ Refer to the map on p.17, is it an ideal place to visit? What factors do you consider when selecting field sites?	Which sampling method is used if students set up data collection locations as follows? (Refer to the sampling method on p.16) 1. The position closest to the woodland entrance was taken as the data collection. _____ 2. A sampling plot was set every 4 m along the transect, and each group collected data in a different sampling plot. _____ 3. In the sampling area, select one of the most representative locations as the sampling point. _____
--	--

What data to collect?

Refer to the information on p.6, match the following research items with the appropriate primary data collection method and the equipment.

Primary data collection methods (details on p.15):

A.	Observation	B.	Measurement	C.	Counting	D.	Category	E.	Distribution (mapping)	F.	Scoring	G.	Field sketching	H.	Questionnaire	I.	In-depth Interview
		Research items		Primary data collection methods (You may choose more than one options)		Equipment (refer to p.6)						Operational precautions					
Vegetation	Tree	Tree height															
		Crown width															
		Circumference of tree trunk															
		Canopy density															
	Shrub	Shrub height															
	Undergrowth	Undergrowth cover															
		Other characteristics of woody plants: root/ leaves/ climbers															
		Vertical stratification															
Soil		Soil moisture															
		Soil fertility															
		Soil texture															
Environment		Light intensity															

To learn more...

When choosing an equipment/tool for data collection, you would consider...



Equipment and materials

Item	Photo	Quantity (each group)	Item	Photo	Quantity (each group)
1. measuring tape (50m)		1 (share)	9. soil moisture meter		1 (share)
2. measuring tape (30m)		1	10. soil NPK meter		1 (share)
3. grid quadrat		1	11. deionized water		1
4. rope (4m)		2	12. trowel and soil sample bottle		1
5. Abney level		1	13. gloves		1
6. light meter		1	14. field identification guide for woody plants		1
7. densiometer		1	15. canopy density rating table (observation)		1
8. soil sedimentation test kit		1			

* Make sure you know how to use the equipment correctly before fieldwork.

Stage 2 : Data collection

Group no: _____

Transect section (*circle where appropriate*)

0-4m / 4-8 m / 8-12 m / 12-16 m / 16-20 m / 20-24 m / 24-28 m / 28-32 m / 32-36 m / 36-40 m / 40-44 m / 44-48 m




Figure 2 Sample plot and sampling point

Part 1 : Tasks of sample plot

Within the sample plot, carry out the following tasks:

1. Select **ONE representative tree**:
 - a) measure tree height
 - b) measure crown width
 - c) measure circumference of tree trunk
2. Select **ONE representative shrub** and measure its height.
3. Observe and identify the characteristics of woody plants.

Part 2 : Tasks of sampling point

Select a sampling point of **the most representative canopy density**, carry out the following tasks:


1. Measure light intensity
2. Collect canopy density data: ①take photo of canopy (counting) ; ②observation method (observation and category)
3. Counting undergrowth cover
4. Measurement of soil moisture
5. Collect ONE soil sample (bottlefull)

Labwork: soil fertility and soil texture

- Use appropriate equipment to find out soil fertility of soil sample. Record the results on p.20.
- Use the sedimentation method and feel test to find out the soil texture of soil sample. Record the results on p.20.

Soil sedimentation method: according to the lab result, draw the picture below and find out the soil texture.

Item	Result
Total length of soil column (cm) [T]	
Length of clay column (cm) [A]	
Length of silt column (cm) [B]	
Length of sand column (cm) [C]	
Percentage of clay (%) [(A / T) x 100 %]	
Percentage of silt (%) [(B / T) x 100 %]	
Percentage of sand (%) (C / T) x 100 %]	
Soil texture class (find from the graph below)	



Result of soil sedimentation





Figure 3 Soil texture triangular graph

Follow the steps in the labwork guide below and find out the soil texture of the soil sample. Record the results on p.20.

LABWORK

SOIL TEXTURE



United States Department of Agriculture Natural Resource Conservation Service Program Aid Number 1619 "Estimating Soil Moisture by Feel and Appearance." April 1998, reprinted June 2005

Figure 4 Steps of feel test

Stage 3 : Data processing and presentation

1. Collect and integrate the data (p.19-20) of each group and fill in the table below.

Group no.		1	2	3	4	5	6	7	8
Location of sampling point (m)		_____m	_____m	_____m	_____m	_____m	_____m	_____m	_____m
Canopy density (densiometer – 25 grids) (%)									
Canopy density (densiometer – 100 grids) (%)									
Canopy density (observation) (Class)									
Light intensity (Lux)									
Undergrowth cover (%)									
Soil moisture (%)									
Soil fertility	Available N (ppm)								
	Available P (ppm)								
	Available K (ppm)								
	Total (ppm)								
Soil texture class	Sedimentation								
	Feel test								

2. What diagram can show the following situations? Write the name of diagram below.

Situations	Name of diagram
a) To show the variation of soil moisture along the transect	
b) To compare the light intensity of different sampling points	
c) To show the relationship between canopy density and soil fertility	

3. Integrate the vegetation data (p.19-20), compare the structure and woody plant characteristics of the studied woodland and tropical rainforest.

		Studied woodland (Hong Kong)	Tropical rainforest
Tree (incl. emergent, canopy & understorey)	Tree height		Emergent layer: 50m or above Canopy layer : 20-35 m Understorey layer: 10-20 m
	Crown width		13-22 m
	Circumference of tree trunk		140 cm
	Canopy density		40-80% (up to 95%)
Shrub layer	Shrub height		Less than 5 m
Undergrowth	Undergrowth cover		Sparse vegetation; low
Vertical stratification (observation)			5 layers

Stage 4 : Interpretation and conclusion

Are your hypothesis valid? Explain with reference to the data collected. Explain whether there are other factors which might support your conclusion.

1. Hypothesis: The higher the canopy density, the <u>lower / higher</u> the soil fertility.	Hint: I expect “The higher the canopy density, the <u>lower / higher</u> the soil fertility.” The result is <u>consistent / inconsistent</u> with my hypothesis. Which location has the highest soil fertility? Why? Factors: nutrient cycling (Fig 1a)/ time/ weather/ feature of sampling plot/ sampling location/ human factor. What field evidence are there? What is/are the dominant factors affecting soil fertility?
2. Hypothesis: The higher the canopy density, the <u>lower / higher</u> the soil moisture.	Hint: I expect “The higher the canopy density, the <u>lower / higher</u> the soil moisture.” The result is <u>consistent / inconsistent</u> with my hypothesis. Which location has the highest soil moisture? Why? Factors: water cycle (Fig 1b)/ time/ weather/ feature of sampling plot/ sampling location/ human factor. What field evidence are there? What is/are the dominant factors affecting soil moisture?
3. Hypothesis: The higher the light intensity, the <u>lower / higher</u> the undergrowth cover.	Hint: I expect “The higher the light intensity, the <u>lower / higher</u> the undergrowth cover.” The result is <u>consistent / inconsistent</u> with my hypothesis. Do the undergrowth cover similar in your sampling plot? Factors: time/ weather/ feature of sampling plot/ sampling location/ human factor. What field evidence are there? What is/are the dominant factors affecting undergrowth cover?

4. Refer to the data collected (p.10, 19-20), how similar are the studied woodland and TRF? Why?

	Hint: Relevant to climate and environment? Do the woodland structure and characteristics of woody plant reflect their similarities?
--	--

Stage 5: Evaluation

Factors affecting the data reliability and validity		Suggestion for improvement
Fieldwork date/ time - Fieldwork date and time representative? - Any impact by today's weather condition?		
Field site/ study area - Field sites match with research topic? - Field study area adequate?		
Location of data collection (Sampling) - Sampling method in choosing field site appropriate? - Location of measurement representative? - Sample size sufficient?		
Data collection items/ methods - Data collection items adequate to respond the enquiry questions? - Are the data obtained from the data collection method(s) objective and without bias? - Any inadequacy about the equipment/ instruments? - Measurer using the equipment/ instruments correctly?		

My Field Trip Diary

- Related modules: Disappearing Green Canopy
- Key point of fieldwork/topic: To study the relationships between vegetation and soil in a woodland ecosystem/ To investigate the structure and the characteristics of plants of a woodland.

▪ Date: _____ (Weekday/ Public holiday) ▪ Time: _____ ▪ Field site: _____	▪ Weather condition:
Is the above planning appropriate for the fieldwork?	

- Primary data:

Data collection method	Data collected	Equipment/ Material (if any)	Merit😊/ Limitation😞 of the data collection method (give examples)	Suggestion for improvement (give explanations)

➤ Secondary data:

Data collected	Use	Data obtained from
Apart from the above, what other secondary data could be used for further investigation?		

➤ Sampling method (if any):

Sampling method	Applied in the following	Merits😊/ Demerits😞

➤ Data processing and presentation:

Type of graph/ chart	Content shown and function of graph/chart	Merits😊/ Demerits😞

➤ For deeper learning or further study, I suggest modify the following aspects.

		Suggestion (give examples)
☐	Key point of fieldwork/ topic	
☐	Data to be collected and method of data collection	
☐	Date and time of fieldwork	
☐	Field site	


Primary data collection methods

Data collection methods	Explanations		Examples
A) Observation	Using sensory observation to explore the details of research subject (people, things or environment) in a purposive and planned way. Data are recorded using text, photos, sketch, map, etc. (Refer to other data collection methods listed below)		Identification of the surrounding environment of a field site
B) Measurement	To estimate or measure the physical quantity of the research subject. It usually requires the use of equipment or tools. Data are usually shown in certain standard, weights or measures.		Measurement of the width of street and the building height
C) Counting	To record the number of occurrence of a single item.		Statistics of pedestrian flow at the pier
D) Category	- To classify based on the nature, characteristics and uses: - to group the same or similar things; - to separate different things.		- Types of goods sold in supermarket - Customers (serving local residents and tourists) of different shops
E) Distribution (mapping)	- To group similar things according to the research topic (similar to “D. Category”); - Only suitable for spatial representation (different from category); - Useful in showing the mode of occurrence of research subject in a complex environment.		Distribution of shops selling big fish balls in Cheung Chau
F) Scoring	- To quantify abstract or subjective concepts; - To merge various data for easy comparison; - Scoring items should include different aspects.		- Risk index of natural hazards of Cheung Chau - Air Quality Health Index (AQHI)
G) Field sketching	To make simplified drawing of the field site to show what the data collectors observed. Annotations related to the research subject are added to provide key feature or additional information.		Draw the characteristics and formation of weathering landforms
H) Questionnaire	- Forms: face-to-face, telephone, written, etc.; - Using questionnaire to understand the opinion of research subject; - Larger sample size than “I. in-depth interview”; - Mainly closed questions (with options available).	- To collect information by questioning; - To obtain information which is difficult to be obtained through observations; - To understand the rationales and opinions of interviewees.	- The main reasons for tourists to visit Cheung Chau - The level of satisfaction among residents regarding a revitalization project
I) In-depth Interview	- To obtain information through face-to-face/ telephone interview; - Smaller sample size than “H. Questionnaire”; - Mainly open questions and forthcoming questions will change upon the answer of respondents.		Opinions of District Council members on the future development of that district

Sampling Methods

Probabilistic sampling methods ➤ Need to know the size of population; ➤ Few differences among individuals; ➤ Individual has equal chance of being selected; ➤ Representativeness of data depends on sampling percentage.				Non-probabilistic sampling methods ➤ Size of population might not be relevant to the research objective; ➤ Chance of individual being selected is unknown; ➤ Representativeness of the results depends on the judgment of researcher in sample selection (Such as the correlation between samples and research targets).		
Sampling methods	Simple random sampling (簡單隨機抽樣)	Systematic sampling (系統抽樣)	Stratified sampling (分層抽樣)	Quota sampling (配額抽樣/ 定額抽樣)	Convenience sampling (便利抽樣/ 方便抽樣)	Purposive sampling (立意抽樣)
Explanations	To select sample from the whole population randomly . (using computer program, bamboo slip or random number table)	Each member of the whole population is sequentially numbered, then selected according to a fixed, periodic interval .	The whole population are classified according to the variable and divided into separate stratum. Then samples are selected randomly by proportion from each stratum.	The whole population are classified according to the variable and divided into separate stratum. Then desired number (quota) of samples are selected from each stratum.	Research subjects are selected due to convenience of recruitment.	Samples are selected according to research objectives and special requirements.
Examples	To choose a certain number of students to conduct questionnaires/ surveys according to the class number.	To measure the noise level of a street in a regular interval.	To group buildings according to their ages (e.g. above or below 50), and select a certain number of buildings in each group randomly.	To select a certain number of male and female customers, then record the amount spent in a shop.	To interview a certain number of relatives who work in mainland China To interview a certain number of passersby on the street	To conduct an in-depth interview with a district councilor about the social problems of that district.
Remarks	Suitable for small population and few variations among samples (for relevant research objectives).	Suitable for large population (hidden cyclic ordering which may affect the representativeness of data).	Effectively show the relationship / effect between variables.	Effectively show the relationship / effect of variables, but the characteristics and size of samples are judged subjectively.	Should not generalize the data to larger population	Suitable for qualitative research (data is easily influenced by the subjective judgment of researcher)

Fieldsite of woodland in Cheung Chau



Exploring Woodland in Cheung Chau


Data record sheet

Date: _____ Time: _____ Weather: sunny/ cloudy / rainy / windy

Transect section: _____ m to _____ m

Environmental features : _____

Tasks allocation




Part 1: Sample plot

- 1) ☐ Tree height
- 2) ☐ Crown width
- 3) ☐ Circumference of tree trunk
- 4) ☐ Shrub height
- 5) ☐ Characteristics of woody plants
- 6) ☐ Vertical stratification

Part 2: Sampling point

- 1) ☐ Light intensity
- 2) ☐ Canopy density (densiometer; observation method)
- 3) ☐ Undergrowth cover
- 4) ☐ Soil moisture
- 5) ☐ Collect soil samples (2 bottles, full)
(Labwork: soil fertility & soil texture test)



How to use Abney level?

How to use densiometer?



Part 1: Sample plot

Group no. _____

Tree (Select ONE representative tree)

Tree height	Horizontal distance between observer and the tree [D]	m	
	Elevation angle of the Abney level [α]	°	
	$D \tan \alpha$ [H1]	m	
	Height from eye level of observer to ground [H2]	m	
	Tree height [H1+H2]	m	
Crown width		m	
Circumference of tree trunk		cm	

Shrub (Select ONE representative Shrub)

Shrub height	m	
---------------------	---	--

Vertical stratification (Observe the overall environment of the study area to assess it.)

Vertical stratification	layer (s)
--------------------------------	-----------

Other characteristic of woody plants

Within sampling plot, **observe and record the following woody plant characteristics.**

	Characteristics of plants	Rough amount (tick where appropriate)		
Tree crown	Umbrella-shaped crowns	☐ None	☐ Few	☐ Many
	Oval-shaped crowns	☐ None	☐ Few	☐ Many
Leaves	Drip-tips	☐ None	☐ Few	☐ Many
	Broad leaves	☐ None	☐ Few	☐ Many
	Waxy leaf surface	☐ None	☐ Few	☐ Many
Trunk	Straight trunks	☐ None	☐ Few	☐ Many
Roots	Buttress roots	☐ None	☐ Few	☐ Many
Stem and bark	Stem flowers/ cauliflory	☐ None	☐ Few	☐ Many
	Thin and smooth bark	☐ None	☐ Few	☐ Many
Other	Climbers	☐ None	☐ Few	☐ Many
	Stranglers	☐ None	☐ Few	☐ Many
	Fern/ shade-tolerant plants	☐ None	☐ Few	☐ Many
	Mosses and lichen	☐ None	☐ Few	☐ Many

Part 2: Sampling point

Group no. _____

Location of sampling point _____ m

Light intensity				_____ (Lux)	
Undergrowth	Undergrowth cover * Take photos of the undergrowth at the sampling point				
	 Observe and compare the undergrowth of each group along the transect, and select the most appropriate description.	Compared to other groups, your undergrowth is: <u>The densest / dense / sparse / least sparse</u>			
Canopy density	*Take photos of the canopy at the sampling point				
		$\frac{\text{Number of grids with canopy}}{25} \times 100\%$ $\frac{\text{_____}}{25} \times 100\%$ $= \text{_____} \%$ (on-site measurement)	$\frac{\text{Number of grids with canopy}}{100} \times 100\%$ $\frac{\text{_____}}{100} \times 100\%$ $= \text{_____} \%$ (measure in classroom)		
	Canopy density (observation)	Class: _____			
Soil	Soil moisture				
	Soil fertility [Labwork]	Available Nitrogen (N): _____ ppm Available Phosphorus (P): _____ ppm Available Potassium (K): _____ ppm			
	Soil texture [Labwork]	1) Soil sedimentation : _____ 2) Feel test : _____			
Collect soil sample		☐ Collected ☐ Not collected			