



Urban Problems in Cheung Chau



Student Name : _____

Group No. : _____

Course Date : _____

OBJECTIVES

- Knowledge :
 - To investigate the relationship between urban problems and distance of town centre of study area
 - To solve urban problems from a sustainable development perspective (1.5 day / 2 day course)
- Skills :
 - To assess the level of urban decay
 - To use choropleth maps, scatter diagrams and correlation coefficient
 - To compare different sampling methods
 - To use Geographic Information System (GIS) for data processing (2 day course)
- Value :
 - To develop students' awareness of urban problems and sustainable development



Relevance to the DSE geography curriculum

- ✦ Building a sustainable city

PRIOR KNOWLEDGE

1. The central part of Cheung Chau is a _____. There is sufficient / lack of flat land area and low / high building density. The development of Cheung Chau is long-established. Its present population is about _____. The type of settlement belongs to village / town / city / metropolis.
2. Continuous development of an area is causing urban problems gradually. Common urban problems in Hong Kong include :

3. The earliest developed region of a city defined as 'Inner City'. It shows highest degree of deterioration. What is this phenomenon?
Urban encroachment / Urban decay / Counter-urbanization
4. Sustainable development balances the needs of _____ , _____ and _____. Using sustainable development angle to solve urban problems is a better solution in the long run.

STAGE 1 : PLANNING & PREPARATION

Focus of studies : Urban problems

- ✦ Hypothesis setting :

What are the differences of below urban decay problems when distance from the town centre increases?

Before fieldwork			After data processing (Transect ____)		
Hypothesis	Indicators of Urban decay	The further away from the town centre, the problems become	Pearson correlation coefficient	weak / moderate / strong positive / negative correlation	Is hypothesis valid? ✓ / X
1	Poor building quality	more serious / less serious / similar			
2	Poor environmental hygiene	more serious / less serious / similar			
3	Lack of town planning	more serious / less serious / similar			
4	Street obstruction	more serious / less serious / similar			



STAGE 1 : PLANNING & PREPARATION

➤ When to collect data?

Date: _____ <u>Mon to Fri / Sat / Sun & Public holiday</u> Season: _____ Time: _____ to _____	What factors would you consider in choosing the fieldwork date? 
1. Any weather warnings & signals issued by the Hong Kong Observatory in the past three days? ☐ Tropical cyclone warning signals ☐ Rainstorm warnings ☐ Frost warning ☐ Cold weather warning ☐ Very hot weather warning ☐ Other: _____	
2. Is today ideal for fieldwork of this topic? Why?	

➤ Where to collect data?

Is Cheung Chau an ideal field site of this topic? Why?	What factors would you consider when choosing the field site? 
Refer to the map on P.15. Different sampling methods are used in setting the data collection locations (<i>details on P.19</i>): Fieldwork area : <u>Whole island / Central part / Southern part / Northern part of Cheung Chau</u> Sampling methods of fieldwork area: <u>Simple random / Systematic / Stratified / Quota / Convenience / Purposive</u> Sampling methods of transects: <u>Simple random / Systematic / Stratified / Quota / Convenience / Purposive</u> Sampling methods of buildings: <u>Simple random / Systematic / Stratified / Quota / Convenience / Purposive</u>	

STAGE 2 : DATA COLLECTION

➤ What data to collect and how to collect data?

Items	Primary data collection methods [A-I] (see Table 1) (may choose more than one)	Equipment [1-5] (see Table 2) (if needed)	Operational precautions
Streets - Types of street obstruction - Width of streets			
Building quality - Surface of buildings - Windows & pipes of buildings - Structure of buildings			
Environmental hygiene - Noise level - Rubbish & offensive smell			
Town planning - Distance between buildings - Greening & recreational facilities - Land use			

Table 1 Primary data collection methods (details on P.18)

A) Observation	B) Measurement	C) Counting	D) Category	E) Distribution (mapping)
F) Scoring	G) Field sketching	H) Questionnaire	I) In-depth interview	

Table 2 Equipment for fieldwork (Make sure you know how to use them correctly before fieldwork.)

Equipment / tools used in the fieldwork		
 1. sound level meter	 2. assessment table	 3. colour pencils (for data processing)

階段 STAGE 2 : 數據蒐集 DATA COLLECTION

組別 Group : _____
樣條 Transect : A/B/C

表格一 Table 1 :
街道闊度 Width of streets

抽樣方法 Sampling method : _____

建築物 編號 Building no. A / B / C	地面層 土地利用 Land use of Ground floor	街道 阻塞類型 Types of street obstruction	街道 原本闊度 Original width of streets (步距 foot span) [A]	街道 阻塞闊度 Obstructive width of streets (步距 foot span) [B]	阻塞闊度 百分比 Percentage of obstructive width (%) $[C] = \frac{[B]}{[A]} \times 100$
01					
02					
03					
04					
05					
06					
07					
08					
09					
10					

階段 STAGE 2 : 數據蒐集 DATA COLLECTION

城市衰落評估 Assessment of Urban decay

評估項目 Assessment items	沒有 None 	輕微 Little 	中等 Some 	嚴重 Many 
樓宇質素欠佳 Poor buildings quality				
A. 外表衰退（污積、塗鴉、油漆剝落） Surface deterioration (stains, graffiti, paint peeling)	0	1	2	3
B. 玻璃破爛、窗戶生鏽、水管滲漏／生鏽 Broken glass, corroded windows, leaked / corroded water pipes	0	1	2	3
C. 石屎剝落、鋼筋外露、出現裂縫、物料結構不穩 Concrete spalling, exposed bar tendons, occurrence of cracks, unstable structure of materials	0	1	2	3
環境衛生惡劣 Poor environmental hygiene				
D. 噪音污染 Noise pollution (分貝 dB : 41-50 / 51-60 / 61-70 / 71 or above 或以上)	0 (41-50 dB)	1 (51-60 dB)	2 (61-70 dB)	3 (71 dB or above)
E. 垃圾及難聞氣味 Rubbish dump & Offensive smell	0	1	2	3
缺乏城市規劃 Lack of town planning				
F. 過度擠迫（建築物間距不足） Overcrowding (inadequate distance between buildings)	0	1	2	3
G. 缺乏綠化或休憩空間及設施 Lack of greening or recreational space & facilities	0	1	2	3
H. 商住混合土地利用 Mixed land use of commercial & residential	0	1	2	3

階段 STAGE 2：數據蒐集 DATA COLLECTION

組別 Group：_____

樣條 Transect：A/B/C

抽樣方法 Sampling method：_____

Why do some assessment items require x 2 / x 3 marks?

表格二 Table 2：

城市衰落評估 Assessment of Urban decay

建築物 編號 Building no. A/B/C	樓宇質素欠佳 Poor buildings quality				環境衛生惡劣 Poor environmental hygiene			缺乏城市規劃 Lack of town planning			
	A 0/1/2/3	B 0/1/2/3	C 0/1/2/3	總分 total	D 0/1/2/3	E 0/1/2/3	總分 total	F 0/1/2/3	G 0/1/2/3	H 0/1/2/3	總分 total
01		x 2	x 3			x 3		x 2	x 2	x 2	
02		x 2	x 3			x 3		x 2	x 2	x 2	
03		x 2	x 3			x 3		x 2	x 2	x 2	
04		x 2	x 3			x 3		x 2	x 2	x 2	
05		x 2	x 3			x 3		x 2	x 2	x 2	
06		x 2	x 3			x 3		x 2	x 2	x 2	
07		x 2	x 3			x 3		x 2	x 2	x 2	
08		x 2	x 3			x 3		x 2	x 2	x 2	
09		x 2	x 3			x 3		x 2	x 2	x 2	
10		x 2	x 3			x 3		x 2	x 2	x 2	



STAGE 3 : DATA PROCESSING & PRESENTATION

- ✪ A _____ map is a type of thematic map.

According to the table below, colour the sampling area on the map (P.9 - P.12).

What are the strengths and weaknesses of this map?

Data processing

Legend	Level of Urban Decay	<u>Poor building quality</u> Total score	<u>Poor environmental hygiene</u> Total score	<u>Lack of town planning</u> Total score	<u>Street Obstruction</u> Percentage of obstructive width
Blue	None	0 - 3	0 - 2	0 - 3	0 - 10%
Green	Low	4 - 7	3 - 5	4 - 7	10.1 - 20%
Yellow	Medium	8 - 11	6 - 8	8 - 11	20.1 - 40%
Red	High	12 or above	9 or above	12 or above	40.1% or above



The relationship between the distance from the town center and the level of urban decay in the above four aspects can also be expressed using _____ and **correlation coefficients**.

正相關

當一個變數增加時
另一個變數也會增加



Positive correlation

As one variable increases
so does the other variable.

負相關

當一個變數增加時
另一個變數會減少



Negative correlation

As one variable increases
the other variable decreases.

沒有關係


兩個變數之間沒有關係





No correlation


There is no relationship
between the two variables.


皮爾森相關係數 Pearson correlation coefficient













STAGE 4 : DATA ANALYSIS & CONCLUSION

1. According to the fieldwork evidences, graphs and Person correlation coefficient, identify whether the hypotheses on page 2 are valid?

Please illustrate with the choropleth maps.

2. What are the differences of the locational factors of Cheung Chau central part and the northern / southern part? What is the time sequence of their development?

According to your prior knowledge, explain the reasons of one of the obvious urban problems (**poor building quality / poor environmental hygiene / lack of town planning / street obstruction**) within your transect.

FURTHER INVESTIGATION (1.5 DAY / 2 DAY COURSE)

1. Use the Geographic Information System (GIS) for data processing. Create choropleth maps of Cheung Chau urban decay problems (**poor building quality / poor environmental hygiene / lack of town planning / street obstruction**). (2 day course)
2. Choose one of Cheung Chau urban decay problems (**poor building quality / poor environmental hygiene / lack of town planning / street obstruction**). Collect other choropleth maps of this problem. Where does this urban decay problem occur in Cheung Chau? (1.5 day / 2 day course)
3. Focusing on the affected area of this Cheung Chau urban decay problem, design the second fieldwork. Take photographs and record all necessary information. Try to find feasible solutions to cope with this problem. (1.5 day / 2 day course)
4. Create annotated pictures. By using choropleth maps and annotated pictures, illustrate the spatial distribution, the present situation and the underlying reasons of this Cheung Chau urban problem. Suggest feasible scheme to solve this problem in the angle of sustainable development. (1.5 day / 2 day course)

STAGE 5 : EVALUATION

1. What sampling methods are used to select the study area, transects and buildings respectively? Account for the **merits** and **demerits** of these sampling methods.
2. Scoring is used for assessing when collecting data. State the **advantages** and **limitations** of this method.
3. Reflect on the planning of fieldwork. Discuss the factors that might cause data bias and propose methods to improve the **validity** and **reliability** of the data.

Factors affecting the data reliability and validity		Suggestion for improvement
Fieldwork date/ time ♦ Fieldwork date and time representative? ♦ Any impact by today's weather condition?		
Field site/ study area ♦ Field sites match with research topic? ♦ Field study area adequate?		
Location of data collection (Sampling) ♦ Sampling method in choosing field site appropriate? ♦ Location of measurement representative? ♦ Sample size sufficient?		
Data collection items/ methods ♦ Data collection items adequate to respond the enquiry questions? ♦ Are the data obtained from the data collection method(s) objective and without bias? ♦ Any inadequacy about the equipment/ instruments? ♦ Measurer using the equipment/ instruments correctly?		


4. Further study:

Set a study area in **the community of your school** and devise a study plan on the topic related to **urban problem**. (including fieldwork date / fieldwork time / field sites / sampling methods / data collection items and methods / equipment required, etc.)

.....

Homework

After the fieldwork, complete the field trip diary (P.16-17) as a means to consolidate this fieldwork experience and reference for revision of field-based question.





My Field Trip Diary

Urban Problems in Cheung Chau

- Related modules: C4 Building a sustainable city
- Key point of fieldwork/topic: _____

▪ Date: _____ (Weekday/ Public holiday) ▪ Time: _____ ▪ Field site: _____	▪ Weather condition: _____
Is the above planning appropriate for this fieldwork?	

- Primary data:

Strategies of data collection	Data collected	Equipment/ Instrument (if any)	Merits☺/ Demerits☹ of the data collection strategy (give examples)	Suggestion for improvement (give explanations)



➤ Secondary data:

Data collected	Use	Obtained from
Apart from the above, what other supplementary information would be necessary to respond to the fieldwork topic?		

➤ Sampling method (if any):

Sampling method	Applied during data collection of	Merits😊/ Demerits😞

➤ Data processing and presentation:

Type of graph/ chart	Content and function of graph/chart	Merits😊/ Demerits😞

➤ For deeper learning or further study, I suggest modify the following aspects:

		Suggestion (give examples)
☐	Key point of fieldwork/ topic	
☐	Data to be collected and method of data collection	
☐	Date and time of fieldwork	
☐	Field site	

Additional Resources

Smart city and sustainable development in Shenzhen



Primary data collection methods

Data collection methods	Explanations		Examples
A) Observation	Using sensory observation to explore the details of research subject (people, things or environment) in a purposive and planned way. Data are recorded using text, photos, sketch, map, etc. (Refer to other data collection methods listed below)		Identification of the surrounding environment of a field site
B) Measurement	To estimate or measure the physical quantity of the research subject. It usually requires the use of equipment or tools. Data are usually shown in certain standard, weights or measures.		Measurement of the width of street and the building height
C) Counting	To record the number of occurrence of a single item.		Statistics of pedestrian flow at the pier
D) Category	- To classify based on the nature, characteristics and uses: - to group the same or similar things; - to separate different things.		- Types of goods sold in supermarket - Customers (serving local residents and tourists) of different shops
E) Distribution (mapping)	- To group similar things according to the research topic (similar to “D. Category”); - Only suitable for spatial representation (different from category); - Useful in showing the mode of occurrence of research subject in a complex environment.		Distribution of shops selling big fish balls in Cheung Chau
F) Scoring	- To quantify abstract or subjective concepts; - To merge various data for easy comparison; - Scoring items should include different aspects.		- Risk index of natural hazards of Cheung Chau - Air Quality Health Index (AQHI)
G) Field sketching	To make simplified drawing of the field site to show what the data collectors observed. Annotations related to the research subject are added to provide key feature or additional information.		Draw the characteristics and formation of weathering landforms
H) Questionnaire	- Forms: face-to-face, telephone, written, etc.; - Using questionnaire to understand the opinion of research subject; - Larger sample size than “I. in-depth interview”; - Mainly closed questions (with options available).	- To collect information by questioning; - To obtain information which is difficult to be obtained through observations; - To understand the rationales and opinions of interviewees.	- The main reasons for tourists to visit Cheung Chau - The level of satisfaction among residents regarding a revitalization project
I) In-depth Interview	- To obtain information through face-to-face/ telephone interview; - Smaller sample size than “H. Questionnaire”; - Mainly open questions and forthcoming questions will change upon the answer of respondents.		Opinions of District Council members on the future development of that district

Sampling Methods

Probabilistic sampling methods ➤ Need to know the size of population; ➤ Few differences among individuals; ➤ Individual has equal chance of being selected; ➤ Representativeness of data depends on sampling percentage.				Non-probabilistic sampling methods ➤ Size of population might not be relevant to the research objective; ➤ Chance of individual being selected is unknown; ➤ Representativeness of the results depends on the judgment of researcher in sample selection (Such as the correlation between samples and research targets).		
Sampling methods	Simple random sampling (簡單隨機抽樣)	Systematic sampling (系統抽樣)	Stratified sampling (分層抽樣)	Quota sampling (配額抽樣/ 定額抽樣)	Convenience sampling (便利抽樣/ 方便抽樣)	Purposive sampling (立意抽樣)
Explanations	To select sample from the whole population randomly . (using computer program, bamboo slip or random number table)	Each member of the whole population is sequentially numbered, then selected according to a fixed, periodic interval .	The whole population are classified according to the variable and divided into separate stratum. Then samples are selected randomly by proportion from each stratum.	The whole population are classified according to the variable and divided into separate stratum. Then desired number (quota) of samples are selected from each stratum.	Research subjects are selected due to convenience of recruitment.	Samples are selected according to research objectives and special requirements.
Examples	To choose a certain number of students to conduct questionnaires/ surveys according to the class number.	To measure the noise level of a street in a regular interval.	To group buildings according to their ages (e.g. above or below 50), and select a certain number of buildings in each group randomly.	To select a certain number of male and female customers, then record the amount spent in a shop.	To interview a certain number of relatives who work in mainland China To interview a certain number of passersby on the street	To conduct an in-depth interview with a district councilor about the social problems of that district.
Remarks	Suitable for small population and few variations among samples (for relevant research objectives).	Suitable for large population (hidden cyclic ordering which may affect the representativeness of data).	Effectively show the relationship / effect between variables.	Effectively show the relationship / effect of variables, but the characteristics and size of samples are judged subjectively.	Should not generalize the data to larger population	Suitable for qualitative research (data is easily influenced by the subjective judgment of researcher)